Ministry of
Natural
Resources

Ontario

ONTARIO GEOLOGICAL SURVEY

GEOLOGICAL DATA INVENTORY FOLIO

GDIF 254

HAWLEY TOWNSHIP

DISTRICT OF SUDBURY

Compiled by the Staff of
the Resident Geologist's Office
Sudbury



LOCATION MAP

Scale 1:1 013 760 or 1 inch to 16 miles

86-1438/

NTS Number 41 I/7 E

Mining Claim Map Number M 922

STATEMENT: This inventory is unedited. Discrepancies may occur for which the Ontario Geological Survey does not assume liability. Information from this source may be quoted if credit is given. Reference to this inventory should be made as follows:

Ontario Geological Survey
1985: Hawley Township, District of Sudbury, Ontario Geological Survey, Geological Data Inventory Folio 254; Compiled by the Staff of the Resident Geologist's Office, Sudbury 16 pages and 2 maps.

Original Compilation by: Lacey, Kerry February 17, 1985

Date	Page Revised	Revised by

Date	Page Revised	Revised by

HAWLEY TOWNSHIP

TABLE OF CONTENTS

Data Sources Checklist 1
Metals and Minerals Reference List 2
Mineral Occurrences 3
Type of Work 4
Drill Hole Summary 5
Airborne Geophysical Survey Data 6
Geochemical Survey Data 7
Miscellaneous Data 8
Newspaper Clipping File 9
ODM General Index Search 10
Selected References 12
Notes and Addenda 16

ACCOMPANYING MAPS

Property Location Map 1 map

Exploration Data Map 1 map

Map Scale 1: 31 680 or 1 inch to ½ mile

CONVERSION FACTORS FOR MEASUREMENTS IN ONTARIO GEOLOGICAL SURVEY PUBLICATIONS

If the reader wishes to convert imperial units to SI (metric) units or SI units to imperial units the following multipliers should be used:

CONVERSION FROM SI TO IMPERIAL			CONVERSION FROM IMPERIAL TO SI		
SI Unit	*Multiplied by*	*Gives*	*Imperial Unit*	*Multiplied by*	*Gives*
			LENGTH		
1 mm	0.039 37	inches	1 inch	**25.4**	mm
1 cm	0.393 70	inches	1 inch	**2.54**	cm
1 m	3.280 84	feet	1 foot	**0.304 8**	m
1 m	0.049 709 7	chains	1 chain	20.116 8	m
1 km	0.621 371	miles (statute)	1 mile (statute)	**1.609 344**	km
			AREA		
1 cm^2	0.155 0	square inches	1 square inch	**6.451 6**	cm^2
1 m^2	10.763 9	square feet	1 square foot	**0.092 903 04**	m^2
1 km^2	0.386 10	square miles	1 square mile	2.589 988	km^2
1 ha	2.471 054	acres	1 acre	0.404 685 6	ha
			VOLUME		
1 cm^3	0.061 02	cubic inches	1 cubic inch	**16.387 064**	cm^3
1 m^3	35.314 7	cubic feet	1 cubic foot	0.028 316 85	m^3
1 m^3	1.308 0	cubic yards	1 cubic yard	0.764 555	m^3
			CAPACITY		
1 L	1.759 755	pints	1 pint	0.568 261	L
1 L	0.879 877	quarts	1 quart	1.136 522	L
1 L	0.219 969	gallons	1 gallon	**4.546 090**	L
			MASS		
1 g	0.035 273 96	ounces (avdp)	1 ounce (avdp)	28.349 523	g
1 g	0.032 150 75	ounces (troy)	1 ounce (troy)	**31.103 476 8**	g
1 kg	2.204 62	pounds (avdp)	1 pound (avdp)	**0.453 592 37**	kg
1 kg	0.001 102 3	tons (short)	1 ton (short)	**907.184 74**	kg
1 t	1.102 311	tons (short)	1 ton (short)	**0.907 184 74**	t
1 kg	0.000 984 21	tons (long)	1 ton (long)	**1016.046 908 8**	kg
1 t	0.984 206 5	tons (long)	1 ton (long)	**1.016 046 908 8**	t
			CONCENTRATION		
1 g/t	0.029 166 6	ounce (troy)/ ton (short)	1 ounce (troy)/ ton (short)	34.285 714 2	g/t
1 g/t	0.583 333 33	pennyweights/ ton (short)	1 pennyweight/ ton (short)	1.714 285 7	g/t

OTHER USEFUL CONVERSION FACTORS

1 ounce (troy)/ton (short)	20.0	pennyweights/ton (short)
1 pennyweight/ton (short)	0.05	ounce (troy)/ton (short)

One gram(g) per tonne is equivalent to one part per million (1 ppm).

NOTE–Conversion factors which are in bold type are exact. The conversion factors have been taken from or have been derived from factors given in the Metric Practice Guide for the Canadian Mining and Metallurgical Industries published by The Mining Association of Canada in co-operation with the Coal Association of Canada.

HAWLEY TOWNSHIP

DATA SOURCES CHECK LIST

NOTE: The following sources have been searched to compile the data for this area. If no reference data was found the appropriate box is marked 'no'; if reference data was found, the box is marked 'yes'.

All reference data found are included in the following pages. If the box is blank, the data source has not yet been searched. If the box is marked N.A., the source item is Not Applicable to this area and therefore not searched.

	SOURCES OF DATA	Data	Initial
1	Resident Geologist's Office Files	Yes	K.L.
2	Assessment Files Research Office, Toronto	N.A.	K.L.
3	ODM General Index; 9 volumes	Yes	K.L.
4	Catalogue of Airborne Geophysical Surveys (ODM)	No	K.L.
5	ODM Mineral Resources Circulars and OGS Mineral Deposits Circulars	Yes	K.L.
6	ODM Industrial Mineral Reports	Yes	K.L.
7	Bibliography of Post Precambrian Theses - Karrow (ODM MP 1)	N.A.	K.L.
8	Bibliography of Precambrian Theses - Ginn (ODM MP 2)	Yes	K.L.
9	Newspaper Clippings File	No	K.L.
10	GSC Index to Publications	Yes	K.L.
11	OGS Index to Published Maps and Reports - MP 77 and Supplements to MP 77	Yes	K.L.
12	OGS Index Maps	Yes	K.L.
13	Source Mineral Deposit Records (O.G.S.) Mineral Occurrences File	Yes	K.L.
14	Author - Subject Articles File	Yes	K.L.
15	Miscellaneous Papers: ODM & OGS	Yes	K.L.
16	ODM Geological Circulars: OGS Study Series Reports	Yes	K.L.
17	ODM Preliminary Reports: ODM Bulletins	Yes	K.L.
18	ODM – OGS Open File Reports	Yes	K.L.
19	OGS Northern Ontario Engineering Geology Terrain Studies	Yes	K.L.
20	OGS Aggregate Resources Inventory Papers	Yes	K.L.
21	OGS Mineral Potential Maps	Yes	K.L.
22	Theses on File, Sudbury	Yes	K.L.
23	Aerial Photographs on File, Sudbury	No	K.L.

METALS AND MINERALS REFERENCES LIST

△ anh. . . . . Anhydrite	△ fu. . . . . Fuchsite	△ Ni. . . . . Nickel	△ st. . . . . Stone
△ ank. . . . . Ankerite	△ gn. . . . . Galena	△ Nb . . . . . Niobium	△ talc. . . . . Talc
△ anna . . . . . Annabergite	△ gt. . . . . Garnet	△ Pd . . . . . Palladium	△ Te . . . . . Tellurium
△ ap. . . . . Apatite	△ goe . . . . . Goethite	△ peat . . . . . Peat	△ td. . . . . Tetrahedrite
△ arg . . . . . Argentite	△ Au . . . . . Gold	△ pent . . . . . Pentlandite	△ th. . . . . Thorite
△ As . . . . . Arsenic	△ gf. . . . . Graphite	△ Pt. . . . . Platinum	△ Th . . . . . Thorium
△ asp . . . . . Arsenopyrite	△ gl . . . . . Gravel	△ py . . . . . Pyrite	△ thuc . . . . . Thucholite
△ asb . . . . . Asbestos	△ gyp. . . . . Gypsum	△ pyl . . . . . Pyrochlore	△ ti . . . . . Titanite
△ ba. . . . . Barite	△ hem . . . . . Hematite	△ pyrl . . . . . Pyrolusite	△ Ti. . . . . Titanium
△ be. . . . . Beryl	△ il . . . . . Ilmenite	△ po . . . . . Pyrrhotite	△ tour . . . . . Tourmaline
△ Bi. . . . . Bismuth	△ Fe . . . . . Iron	▲ q . . . . . Quartz	△ trap . . . . . Trap rock
△ bn . . . . . Bornite	△ IF. . . . . Iron Formation	△ qcv . . . . . Quartz carbonate vein	△ W. . . . . Tungsten
△ bran . . . . . Brannerite	△ jas . . . . . Jasper	△ ra. . . . . Radioactive minerals	△ uran . . . . . Uraninite
△ bruc . . . . . Brucite	△ kaol . . . . . Kaolinite (kaolin)	△ RE . . . . . Rare Earths	△ U . . . . . Uranium
△ Cd . . . . . Cadmium	△ ky . . . . . Kyanite	△ sd. . . . . Sand	▲ verm . . . . . Vermiculite
△ calc. . . . . Calcite	△ Pb . . . . . Lead	▲ sgl . . . . . Sand and gravel	△ Y . . . . . Yttrium
△ carb . . . . . Carbonate	△ lim . . . . . Limonite	△ ss . . . . . Sandstone	△ Zn . . . . . Zinc
△ cel . . . . . Celestite	△ Li. . . . . Lithium	△ scap . . . . . Scapolite	△ zr . . . . . Zircon
△ cc. . . . . Chalcocite	△ mgst . . . . . Magnesite	△ shee . . . . . Scheelite	
△ cp. . . . . Chalcopyrite	△ mag . . . . . Magnetite	△ serp . . . . . Serpentine	
△ ch. . . . . Chert	△ mc . . . . . Malachite	△ sh. . . . . Shale	
△ clay . . . . . Clay	△ Mn . . . . . Manganese	△ sid . . . . . Siderite	
△ Co . . . . . Cobalt	△ mb . . . . . Marble	△ si . . . . . Silica	
△ cob. . . . . Cobaltite	△ mar. . . . . Marcasite	△ Ag . . . . . Silver	
△ cb. . . . . Columbite	△ ma . . . . . Marl	△ sl . . . . . Slate	
△ Cu . . . . . Copper	△ mi . . . . . Mica	△ sm . . . . . Smaltite	
△ cor . . . . . Corundum	△ ml . . . . . Millerite	△ sod. . . . . Sodalite	
△ dol . . . . . Dolomite	△ mo . . . . . Molybdenite	△ spec . . . . . Specularite	
△ ep. . . . . Epidote	△ Mo . . . . . Molybdenum	△ sp. . . . . Sphalerite	
△ ery . . . . . Erythrite	△ mon . . . . . Monazite	△ spd. . . . . Spodumene	
▲ fel . . . . . Feldspar	△ ne. . . . . Nephelite (nepheline)	△ staur . . . . . Staurolite	
△ fl . . . . . Fluorite (flurospar)	△ nc. . . . . Niccolite	△ stib. . . . . Stibnite	

Solid triangles indicate metal and mineral occurrences shown on the accompanying maps.

MINERAL OCCURRENCES

Map Ref. Letter	Name(s)	Mineralization	Source Mineral Deposit Record	References in OGS Mineral Deposits Circulars & OGS Industrial Mineral Reports	Additional References and/or Remarks
A	Indusmin Limited (Canadian Flint and Spar. Co., Nelson, C., Exploration and Prospecting, Geotek Explorations)	fel,q		IMC3, p.13	O.D.M. Map 2271 - No.5 O.G.S. Map 2361 - No.70
B	Bjelajac, S. Lot 1, Con.1, Hawley Twp.	verm			O.D.M. Map 2271 O.G.S. Map 2361
C	Hawley Sand and Gravel	sgl			O.D.M. Map 2271
D	Hawley Sand and Gravel N½,SE¼,Lot11,Con.5	sgl			O.D.M. Map 2271
E	Hawley Sand and Gravel S½,NE¼,Lot2,Con.1	sgl			O.D.M. Map 2271

GDIF FORM NO. 1

TYPE OF WORK		Numbers below represent the year in which the work was done; e.g., 68 for 1968.																		
EXPLORATION DATA filed at the RESIDENT GEOLOGIST'S OFFICE SUDBURY COMPANY/AUTHOR (file number)		GEOLOGICAL	GEOCHEMICAL	TRENCHING, STRIPPING	DRILLING	ASSAY DATA	UNDERGROUND WORK	PROSPECTUS, NOTES, CORRESPONDENCE	AIRBORNE MAGNETOMETER	AIRBORNE ELECTROMAGNETIC	AIRBORNE RADIOMETRIC	GROUND MAGNETOMETER	GROUND ELECTROMAGNETIC	GROUND RADIOMETRIC	INDUCED POLARIZATON	SELF POTENTIAL	RESISTIVITY	QUARRYING		
1	Bjelajac, S.				58 60 62															
2	Canadian Flint & Spar Co. Ltd. (Nelson, C.; Explorations and Prospecting Ltd.; Neewassi Lake Pegmatite)																	47, 48		
3	Indusmin Ltd.; (Geotek Explorations Ltd.; Nepewassi Lake Quartz Deposit)	77			77															

HAMLEY TOWNSHIP

DRILLHOLE SUMMARY

Map Drilling Location Number	Company Name	Company Drillhole Number	Date Drilled	Bearing Azimuth Degrees	Initial Dip of Hole Degrees	Thickness of Overburden Feet	Total Length of Hole Feet	Mineralization Noted in Log	Assay Data Included for
1	Bjelajac, S.	1	58	-	70	-	71.0	-	-
1a		2	58	-	75	-	54.0	-	-
1b		3	58	-	90	-	55.0	verm	-
1c		4	58	-	90	-	55.0	-	-
2		5	58	-	75	-	53.0	-	-
3		6	58	-	80	-	37.0	q	-
3a		7	58	-	85	-	38.0	q	-
4		9	60	N10W	50	-	125.0	verm,fel.q	-
4a		10	60	S50E	90	-	125.0	verm,fel,q	-
4b		11	60	S30W	50	-	125.0	verm,fel,q	-
5		B-1	62	90E	50	-	455.0	-	-
6	Indusmin Ltd.	INQ-1	77	-	90	-	101.0	q,fel	-
6a		INQ-2	77	-	90	3.5	20	q,fel	-
6b		INQ-3	77	-	70	3.5	20	q,fel	-
6c		INQ-4	77	-	90	4.0	20	q,fel	-
6d		INQ-5	77	-	90	-	42.0	q,fel	-
6e		INQ-6	77	-	90	-	105.0	q,fel	-

GDIF FORM NO. 1

AIRBORNE GEOPHYSICAL SURVEY DATA

No.	By / For	Type of Survey	Flight Altitude	Flight Line Direction	Flight Line Spacing

GDIF FORM NO. 4

HAWLEY TOWNSHIP

Map Sample Site Reference Number	GEOCHEMICAL SURVEY DATA		By	Reference
	Type of Survey	Analysis For		

GDIF FORM NO. 5

MISCELLANEOUS DATA

AGE DATING

Site	Method	Material	Reference	Result

NEWSPAPER CLIPPINGS FILE

NOTE: A file of newspaper clippings about the companies listed below, who have worked in this area, is maintained in the Regional/Resident Geologist's Office.

ODM GENERAL INDEX SEARCH

Words searched:

BJELAJAC, S.
CANADIAN FLINT & SPAR CO.
COLTAS, P. C.
GEOTEK EXPLORATIONS LTD.
HAWLEY TOWNSHIP
INDUSMIN LTD.
INTERNATIONAL MINERAL & CHEM. CO.

Index Volume	Listing:	Report Volume	Part	Page
4	CANADIAN FLINT AND SPAR CO. LTD.			
	Capital; officers; operations;			
	(1940)	50	1	155
	(1942)	52	1	215
	(1943)	53	1	178
	(1946)	56	2	2
	(1947)	57	2	2
	(1948)	58	2	2
	(1949)	59	2	2
8	HAWLEY TP., Sudbury Dist.			
	feldspar/mica	GR116		138-139
	Geology of the Burwash area	GR116		
	Vermiculite	GR116		142

GDIF FORM NO. 5

ODM GENERAL INDEX SEARCH

Words searched:

Index Volume	Listing:	Report Volume	Part	Page

GDIF FORM NC. 5

HAWLEY TOWNSHIP

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
		REGIONAL GEOLOGICAL COMPILATION MAPS		
Card, K. D., Lumbers, S. B.	1974-75	Sudbury-Cobalt Geological Compilation (revised)	O.G.S. Map 2361	1"=4 mi.
Dressler, B.	1983	Sudbury-Mining Area Eastern Sheet, Sudbury District	O.G.S. Map 2603	1:50,000
Lumbers, S. B.	1971	Burwash Area (East Half) Districts of Nipissing, Parry Sound and Sudbury	O.D.M. Map P.680	1"=1 mi.
	1966	Burwash Sheet, Districts of Sudbury, Nipissing, and Parry Sound	O.D.M. Map 415	1"=2 mi.
		GEOPHYSICAL MAPS		
Gupta, V. K., Wadge, D.R.	1981	Bouguer Gravity and Generalized Geological (Map - Sudbury-Onaping Lake Area Districts of Sudbury and Algoma	P.2482	1:100,000
		Aeromagnetic Maps		
O.D.M.-G.S.C.	1965	Capreol, Ontario	Map 1510G	1"=1 mi.
	1965	Glen Afton	Map 7267G	1"=4 mi.
O.G.S.-G.S.C.	1976	Uranium Reconnaissance Program Airborne Gamma Ray Spectrometer Survey Sudbury, Ontario	O.G.S. Map 1610	1:250,000
		SURFICIAL, PLEISTOCENE, TERRAIN ENGINEERING		
Army Survey Establishment R.C.E.	1953-58	Topographic Map - Coniston East		1:50,000
Gartner, J. F.	1980	N.O.E.G.T.S. Data Base Map, Sudbury	Map 5003	1:100,000
	1980	N.O.E.G.T. Study 100, Sudbury		

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
		MINERAL POTENTIAL MAPS		
O.G.S. and Mineral Resources Bank	1982	Mineral Potential Map of Ontario West Central Sheet	OFR5327	1"=16 mi.
Meyn, H. D. and Howarth, J. R.	1977	Molybdenum Deposits of Ontario, East Central Sheet	O.G.S. Map P.1246	
Springer, J.	1976	Ontario Mineral Potential Sudbury Sheet, District of Algoma, Nipissing, Sudbury, Parry Sound and Manitoulin	O.G.S. Map P.1511	1:250,000
		GEOCHEMICAL		
		None as of Feb.17, 1985		
		GEOLOGICAL REPORTS AND MAPS		
Hewitt, D. F.	1953	Feldspar in Ontario	O.D.M. IMC3	p.13
Lumbers, S. B.	1975	Geology of the Burwash Area Districts of Nipissing, Parry Sound, Sudbury	GR116 Map 2271	p.138-139;142
Thomson, J. E.	1960	Uranium and Thorium Deposits of the Base of the Huronian System in the District of Sudbury	GR1	Chart 1
		JOURNAL ARTICLES, THESES, TECHNICAL REPORTS		
Davis, G. L.	?	Geochronology and Geochemistry of the Grenville Orogeny	Sudbury file 3-4	P.224-230
Davis, G. L.	?	The Age of Metamorphism in the Grenville Province and Age of the Grenville Front	Sudbury file 3-4	P.307-315

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages

GDIF FORM NO. 9

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
Henderson, J. R.	1967	Structural and Petrographic Relations Across the Grenville Province, Southern Province Boundary, Sudbury, Ontario	Sudbury file 27	
Latour, T. E.	1981	Significance of Folds and Mylonites at the Grenville Front in Ontario, (Summary)	G.S.A.-Bull. Vol. 92, pt.1	p.411-413
Laurin, A.	1955	The Problem of the Boundary Between the Grenville and Temiskaming Province, Ontario. B.Sc. Laval	MP2	p.29
Vos, M. A., Smith, B. A., Stevenato, R. J.	1981	Industrial Minerals of the Sudbury Area	O.G.S. OFR5329	p.72



Ministry of Natural Resources

Ontario

ONTARIO GEOLOGICAL SURVEY

PROPERTY LOCATION MAP

GEOLOGICAL DATA INVENTORY FOLIO 254

(Map **1** of **2**)

HAWLEY TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Mile 0.5 0 0.5 1 Mile

Kilometre 0.5 0 0.5 1 Kilometre

ONTARIO GEOLOGICAL SURVEY

PROPERTY LOCATION MAP

GEOLOGICAL DATA INVENTORY FOLIO 254

(Map 1 of 2)

HAWLEY TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Mile 0.5 0 0.5 1 Mile

Kilometre 0.5 0 0.5 1 Kilometre



EXPLORATION DATA FILE AREAS

Reference number is always inside work area outlined. See listing in text pages.

Small area of exploration.

TYPES OF DATA SHOWN ON THIS MAP

GEOCHEMICAL AND GEOCHRONOLOGICAL DATA

- Geochemical sample site, with reference number
- Area of geochemical sampling, with reference number
- Age dating material sampling site, with reference number

GEOPHYSICAL ANOMALIES

- Airborne Magnetometer Anomaly
- Airborne Electromagnetometer Anomaly
  Length of anomaly along flight line
- Airborne Electromagnetometer Anomaly.
  Location of anomaly along flight line
- Airborne Electromagnetometer Anomaly
  Conductor Axis: definite, probable, possible
- Airborne Radiometric Anomaly
- Ground Magnetometer Anomaly
- Ground Electromagnetometer Anomaly
  (VL - Vertical Loop; HL - Horizontal Loop;
  VLF - Very low freq; Turam; JEM -
  Crone EM - 16)
- Ground Radiometric Anomaly
- Induced Polarization Anomaly
- Self Potential Anomaly
- Audio-frequency magnetometer anomaly
  (total intensity)
- Resistivity Anomaly
- Gravity Anomaly

MISCELLANEOUS DATA

- Trenching, pit
- Adit
- Rock quarry
- Sand and/or gravel pit





Ministry of Natural Resources
Ontario

ONTARIO GEOLOGICAL SURVEY

EXPLORATION DATA MAP

GEOLOGICAL DATA INVENTORY FOLIO 254

(Map **2** of **2**)

HAWLEY TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Mile 0.5 0 0.5 1 Mile

Kilometre 0.5 0 0.5 1 Kilometre

GEOLOGICAL AND MINING SYMBOLS

TYPES OF DATA SHOWN ON THIS MAP

MINERAL OCCURRENCES

- Mineral occurrence at surface, with reference letter
- Mineral occurrence with shaft, depth given with reference letter
- Mineral occurrence reported but exact location uncertain, with reference letter
- Mineralized Float with reference letter

DRILL HOLES

- Location of single drill hole, with reference number
- Location of closely spaced group of drill holes, with reference number
- Drill hole, exact location uncertain, with reference number.
- Property with underground drill holes in this general area, with

Age dating material sampling site, with reference number

GEOPHYSICAL ANOMALIES

- Airborne Magnetometer Anomaly
- Airborne Electromagnetometer Anomaly
  Length of anomaly along flight line
- Airborne Electromagnetometer Anomaly.
  Location of anomaly along flight line
- Airborne Electromagnetometer Anomaly
  Conductor Axis: definite, probable, possible
- Airborne Radiometric Anomaly
- Ground Magnetometer Anomaly
- Ground Electromagnetometer Anomaly
  (VL - Vertical Loop; HL - Horizontal Loop;
  VLF - Very low freq; Turam; JEM -
  Crone EM - 16)
- Ground Radiometric Anomaly
- Induced Polarization Anomaly
- Self Potential Anomaly
- Audio-frequency magnetometer anomaly
  (total intensity)
- Resistivity Anomaly
- Gravity Anomaly

MISCELLANEOUS DATA

- Trenching, pit
- Adit
- Open pit
- Rock quarry
- Sand and/or gravel pit

NOTE: Consult the text that accompanies this map for pertinent lists of data, references, and abbreviations.





EXPLORATION DATA MAP

GEOLOGICAL DATA INVENTORY FOLIO 254

(Map 2 of 2)

HAWLEY TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Mile 0.5 0 0.5 1 Mile

Kilometre 0.5 0 0.5 1 Kilometre

GEOLOGICAL AND MINING SYMBOLS

TYPES OF DATA SHOWN ON THIS MAP

MINERAL OCCURRENCES

- ☒ cp A. — Mineral occurrence at surface, with reference letter
- ☐ Au A. 84' — Mineral occurrence with shaft, depth given with reference letter
- ☐ Ag ? A. — Mineral occurrence reported but exact location uncertain, with reference letter
- ☐ cp A. — Mineralized Float with reference letter

DRILL HOLES

- ☒ ●² — Location of single drill hole, with reference number
- ☒ ◉² — Location of closely spaced group of drill holes, with reference number
- ☐ (?)² — Drill hole, exact location uncertain, with reference number.
- ☐ ◡ — Property with underground drill holes in this general area, with reference number
- ☐ ○² — Property with drill holes which have not been plotted on map, with reference number
- ☐ ⊕² — Reverse Circulation Drill Hole; Churn drilling, with reference number

CODE 254